

(Bill No. 170504)

AN ORDINANCE

To amend Title 14 of The Philadelphia Code, entitled "Zoning and Planning," by revising certain provisions of Chapters 14-200, entitled "Definitions," and 14-900 "Signs," all under certain terms and conditions.

THE COUNCIL OF THE CITY OF PHILADELPHIA HEREBY ORDAINS:

SECTION 1. Title 14 of The Philadelphia Code is hereby amended to read as follows:

Key:

1. In Tables that contain bracketed table notes, and in the table notes, deletions are indicated by { } rather than [].

TITLE 14. ZONING AND PLANNING.

* * *

CHAPTER 14-200. DEFINITIONS.

§ 14-203. Definitions.

For purposes of this Zoning Code, the following definitions shall apply; words, phrases, and terms not defined herein, but defined in Title 4 (The Philadelphia Building Construction and Occupancy Code), shall be construed as defined in Title 4.

* * *

[(279) Sign, Accessory Digital News Ticker.

A digital, illuminated horizontal sign band, with or without flashing images, that displays a scrolling stream of news and informational messages, including but not limited to stock prices, sports scores, headline news, and entertainment news.]

(279) Reserved

BILL NO. 170504 continued

Certified Copy

[(281.1) Sign, Digital Display.

A sign that uses light emitting diodes (LEDs), charge coupled devices (CCDs), plasma or functionally equivalent technologies used to display a series of still images or full motion, usually remotely programmable and changeable. Digital displays do not include animated illumination signs or static illumination signs.]

* * *

(283) Sign, Free-Standing.

Any sign that is supported by a structure of one or more [columns, uprights, or braces] *frames, poles or other support structures permanently* erected in or upon the [ground, or affixed to outdoor business equipment or fixtures.] *ground.* Freestanding signs include monument signs, pylon signs, pole signs, and *other permanently affixed signs.* [A-frame signs.]

(284) Sign, Marquee.

A sign attached to or integrated into a marquee, which is an overhanging, substantially horizontal structure of permanent construction attached to a building, whether or not supported by the ground or sidewalk, that projects more than 18 in. over a sidewalk, *walkway*, or [other] right-of-way, but not including balconies or bay windows. The sign may be located on any face, top, or underside of the marquee.

* * *

(287) [Reserved.] Sign, Portable.

Any sign that is movable and not permanently attached to a structure or the ground. Portable signs include standing or upright, A-frame, feather flag, banner, pennant, inflatable, wind-activated, and other movable signs.

* * *

(289) Sign, Projecting.

A sign of any material, *including text, images, or both text and images,* that is in any manner affixed to, printed, or painted on any exterior wall of a building or structure such that the sign extends more than 12 in. from the face of the building or structure to which it is attached. *This includes signs on the side of an awning.*

BILL NO. 170504 continued

Certified Copy

(295) Sign, Wall.

A sign, not including a window sign, that is in any manner affixed to, printed, projected, or painted on any exterior wall of a building or structure such that the sign extends forward of that wall by 12 in. or [less; or] *less*. [a] A sign attached to or integrated into the front or sloped panel of an awning or canopy *shall be considered a wall sign*. Wall signs include a sign that extends by 12 in. or less from the wall of a bay window parallel to the building façade.

* * *

(296.2) Sign Illumination, Animated.

Illumination of part or all of a sign drawing attention to a sign through an internal [or external] light source [or neon illumination] that exhibits changing [intensities] or *flashing* colors, *images*, *messages*, *or patterns*, *including the following types of Animated Sign Illumination:*

- (a) Digital Sign. A type of illumination that uses light emitting diodes (LEDs), charge coupled devices (CCDs), plasma, or functionally equivalent technologies used to display a series of still images, usually remotely programmable and changeable.
- (b) Electronic Message Sign. A type of illumination that uses light emitting diodes (LEDs), charge coupled devices (CCDs), plasma, or functionally equivalent technologies to display a series of electronically changeable still messages consisting of alphanumeric text, such as those often used for gas price display signs and athletic scoreboards.
- (c) Accessory Digital News Ticker. A horizontal sign band that uses light emitting diodes (LEDs), charge coupled devices (CCDs), plasma, or functionally equivalent technologies to display a scrolling stream of messages, including but not limited to stock prices, sports scores, headline news, and entertainment news.

(296.3) Sign Illumination, Static.

Illumination drawing attention to a sign through an internal or external light source or neon illumination that does not change intensities or colors. [Static illumination does not include digital displays.]

BILL NO. 170504 continued

Certified Copy

CHAPTER 14-900. SIGNS.

* * *

§ 14-904. Accessory Sign Controls.

(1) Controls that Apply in All Zoning Districts.

These controls apply to specific types of signs in all zoning districts in addition to any other controls imposed by this Zoning Code.

- (a) Signs on Awnings and Canopies and Marquee Signs.
 - (.1) Awnings, canopies, and marquees shall comply with the requirements set forth in §11-603 of the Philadelphia Code in addition to the requirements of this code.
 - (.2) External lighting is permissible under an awning, provided that the lighting is directed toward the area beneath the awning.
- [(a.1)](b) Animated Sign Illumination.

- [(b) Digital Display.
 - (.1) Location.
 - (a) Digital Displays are permitted in base zoning districts as set forth in Table 14-904-1.
 - (.b) Digital displays are prohibited within 200 ft. of any intersection of any two or more streets.
 - (.c) Digital displays are prohibited within 150 ft. of a residential district or facing any residential district within 300 ft. of the digital display.]
 - [.2] *(.4)* Sign Standards.
 - (.a) Except for Accessory Digital News Tickers, the duration of *each message using animated illumination* [digital display] shall be no less

BILL NO. 170504 continued

Certified Copy

than eight seconds. The change time between messages shall be no more than 0.25 seconds.

- (.b) During daylight hours, luminance shall be no greater than 1500 nits for all signs incorporating animated illumination. At all other times, luminance shall be no greater than 150 nits. Automatic dimming is required to maintain the appropriate illumination levels at all times.
- (c) Directional Signs.

* * *

(.4) Animated [illumination, digital displays] *illumination* and mechanical movement signs are prohibited.

* * *

- (i) Window Sign.
 - (.1) Window signs shall be limited to the ground floor, except that in CMX-2, CMX-2.5, CMX-3, CMX-4, CMX-5, CA-1, and CA-2 districts, window signs for businesses that are not located on the ground floor shall also be permitted in second floor windows. The total area of *signs placed within a window or transparent glass door* [signs per floor] shall not exceed 20% of the total transparent glazed area of [all] *the* window[s and] *or* transparent glass door[s on that floor] *within which they are placed, as defined in §14-203 (Definitions).*
 - (.2) The amount of area [used] *permitted* for a window sign is [permitted] in addition to the maximum sign area permitted in § 14-902(2) (Controls Applicable to Specific Zoning Districts and Defined Areas).
 - [(.3) Digital displays are permitted on window signs in CMX-2, CMX-2.5, and CMX-3 districts, provided the digital displays do not exceed 4 sq. ft. total per building frontage.]
 - (.3) Signs may be placed in no more than two windows; two transparent glass doors; or one window and one transparent glass door.
- (j) Portable Sign.

Portable signs shall be temporarily secured to resist rolling, blowing away, tipping over, or otherwise moving from their secured location.

BILL NO. 170504 continued

Certified Copy

* * *

(2) Controls Applicable to Specific Zoning Districts.

(a)Sign Controls Table 14-904-1

Additional sign regulations applicable to specific zoning districts are shown in the following tables, collectively labeled Table 14-904-1.

* * *

- (.3) Sign Characteristics
 - (.c) Digital [Display] Sign.

A "Yes" in the row labeled "Digital [Display"] *Sign*" indicates that digital [displays] *signs* are permitted for the sign type on the corresponding column. A "No" indicates that digital [displays] *signs* are prohibited.

(.e) Electronic Message Sign.

A "Yes in the row labeled "Electronic Message Sign" indicates that electronic message signs are permitted for the sign type in the corresponding column. A "No" indicates that electronic message signs are prohibited.

(.f) Accessory Digital News Ticker.

An accessory digital news ticker shall be permitted only in the Market Street East Advertising District, subject to the requirements of §14-906(6).

Table 14-904-1: Accessory Sign Controls for Specific Zoning Districts

BILL NO. 170504 continued

RSD-1/2/3, RSA-1/2/3, RTA-1, RMX-1/2					
			Permitted Sign Types		
			Wall	Freestanding	
		Maximum Number	N/A	N/A	
Standards		Maximum Area (sq. ft. {per} for each lot frontage)	Home Occupations (except as provided in § 14-604(10)(b)(.1)): 1 Non-Residential Uses: 15	Home Occupations: Prohibited Non-Residential Uses: 15	
		Maximum Height	The lower of the roof line or second floor window sill	7 ft.	
		Additional Requirements	N/A	Prohibited in required setbacks	
		Static Illumination	Yes	Yes	
Permitted Characteristics		Animated Illumination (all)	No	No	
	Sign	{Digital Display}	{No}	{No}	
		Mechanical Motion	No	No	

BILL NO. 170504 continued

RSA-4/5 and RM-1				
		Permitted Sign T	ypes	
		Wall	Freestanding	
	Maximum Number	N/A	N/A	
Standards	Maximum Area (sq. ft. {per} for each lot frontage)		Home Occupations: Prohibited Non-Residential Uses: 15	
	Maximum Height	The lower of the roof line or second floor window sill	7 ft.	
	Additional Requirements	N/A	Prohibited in required setbacks	
	Static Illumination	Yes	Yes	
Permitted S	Animated Illumination (all)	No	No	
Characteristics	{Digital Display}	{No}	{No}	
	Mechanical Motion	No	No	

BILL NO. 170504 continued

RM-2/3/4 and RMX-3				
		Permitted Sign Ty	pes	
		Wall, Projecting, and Marquee	Freestanding	
	Maximum Number	N/A	N/A	
Standards	(sq. ft. {per} for each lot frontage)	Home Occupations (except as provided in § 14-604(10)(b)(.1)): 1 Non-Residential Uses: 24	Home Occupations: Prohibited Non-Residential Uses: 15	
	Maximum Height	The lower of the roof line or second floor window sill	7 ft.	
	Additional Requirements	N/A	Prohibited in required setbacks	
	Static Illumination	Yes	Yes	
Permitted Sig	Animated Illumination (all)	No	No	
Characteristics	{Digital Display}	{No}	{No}	
	Mechanical Motion	No	No	

BILL NO. 170504 continued

CMX-2 and CMX-2.5					
		F	Permitted Sign Types		
		Wall, Projecti	ng, and Marquee	Freestanding	
	Maximum Number		ll: N/A 1 per frontage	1 per building	
Standards	Maximum Area	Lots with one building frontage: Lots with more than one building frontage:	3 sq. ft. per lin. ft. of building frontage Short side(s): 3 sq. ft. per lin. ft. of building frontage Long side: 2 sq. ft. per lin. ft. of building frontage	100 sq. ft. total	
	Maximum Height	The lower of roof line or second floor window sill		20 ft.	
	Static Illumination	Yes, except that in the CMX-2.5 district internally-illuminated cabinet signs shall be prohibited.		Yes	
Permitted Sig	Animated Illumination (all)	No		No	
Characteristics	{Digital Display}	{No}		{No}	
	Mechanical Motion		Yes	Yes	

BILL NO. 170504 continued

CMX-3				
			Permitted Sign Types	
		Wall, Proj	ecting, and Marquee	Freestanding
	Maximum Number		N/A	1 per building
		Lots with one building frontage:	6 sq. ft. per lin. ft. of building frontage	
Standards	than build	Lots with more than one building frontage:	Short side(s): 6 sq. ft. per lin. ft. of building frontage Long side: 4 sq. ft. per lin. ft. of building frontage	100 sq. ft. per face; up to 2 faces
	Maximum Height	The lower of roof line or second floor window sill		20 ft.
	Static Illumination	Yes		Yes
Permitted Sign Characteristics	Animated Illumination (all)	No		No
	{Digital Display}	{No}		{No}
	Mechanical Motion		Yes	Yes

BILL NO. 170504 continued

CMX-4/5				
		Permitted Sign Types		
		Wall, Projecting, and Marquee	Freestanding	
	Maximum Number	N/A	1 per frontage	
	Maximum Area	2 sq. ft. per lin. ft. of ground floor frontage; 100 sq. ft. per sign	50 sq. ft./face; up to 4 faces	
Standards	Maximum Height	The lower of the roof line or second floor window sill	10 ft.	
	Additional Requirements	Notwithstanding § 14-904(1)(d), projecting signs shall not extend more than 24 in. over any public right-of-way	N/A	
	Static Illumination	Yes	Yes	
	{Animated Illumination}	{Wall: Yes Others: No}	{Yes}	
	Animated Illumination: Digital Sign	Wall: Yes Others: No	Yes	
Permitted Sign Characteristics	Animated Illumination: Electronic Message Sign	Wall: Yes Others: No	Yes	
	Animated Illumination: Accessory Digital News Ticker	As provided in §14-906(6)	As provided in §14-906(6)	
	{Digital Display}	{Wall: Yes Others: No}	{Yes}	
	Mechanical Motion	Yes	Yes	

		CA-1			
		Peri	mitted Sign Types:		
		Wall, Projecting, and Marquee	Freestanding	Portable	
	Maximum Number	N/A	1 per lot	1 per building frontage	
Standards	Maximum Area	10 sq. ft. per lin. ft. of ground floor frontage of the business or tenant with which the sign is associated	200 sq. ft. / face, up to 2 faces	10 sq. ft.	
	Maximum Height	{The lower of the roof line or second floor window sill} The higher of the roof line or parapet wall, if applicable	40 ft.	5 ft.	
	Static Illumination	Yes	Yes	No	
	{Animated Illumination}	{No}	{No}		
	Animated Illumination: Digital Sign	Wall: Yes Others: No	Yes	No	
Permitted Sign Characteristics	Animated Illumination: Electronic Message Sign	Wall: Yes Others: No	Yes	No	
	Animated Illumination: Accessory Digital News Ticker	No	No	No	
	{Digital Display}	{Wall: Yes Others: No}	{Yes}		
	Mechanical Motion	Yes	Yes	No	

			CA-2		
		Permitted Sign Types:			
		una marquee	0	Portable	
Standards	Maximum Number	N/A	1 per 15,000 sq. ft. of lot area	1 per building frontage	

BILL NO. 170504 continued

	Maximum Area	10 sq. ft. per lin. ft. of ground floor frontage of the business or tenant with which the sign is associated		10 sq. ft.
	Maximum Height	{The lower of the roof line or second floor window sill} The higher of the roof line or parapet wall, if applicable	40 ft.	5 ft.
	Static Illumination	Yes	Yes	No
	{Animated Illumination}	{Wall: Yes Others: No}	{Yes}	
	Animated Illumination: Digital Sign	Wall: Yes Others: No	Yes	No
Permitted Sign Characteristics	Animated Illumination: Electronic Message Sign	Wall: Yes Others: No	Yes	No
	Animated Illumination: Accessory Digital News Ticker	No	No	No
	{Digital Display}	{Wall: Yes Others: No}	{Yes}	
	Mechanical Motion	Yes	Yes	No

BILL NO. 170504 continued

IRMX and ICMX				
		Permitted Sign Type		
		Wall, Projecting, and Marquee	Freestanding	
	Maximum Number	N/A	1 per lot frontage	
Standards	Maximum Area	Lots facing one street line: 3 sq. ft./lin. ft. of building frontage Lots facing more than one street line: 3 sq. ft./lin. ft. of building frontage on the short side, 2 sq. ft./lin. ft. of building frontage on the long side	100 sq. ft. / face, up to 4 faces	
	Maximum Height	The lower of the roof line or second floor window sill	20 ft.	
	Static Illumination	Yes	Yes	
	{Animated Illumination}	{Wall: Yes Others: No}	{Yes}	
	Animated Illumination: Digital Sign	Wall: Yes Others: No	Yes	
Permitted Sign Characteristics	Animated Illumination: Electronic Message Sign	Wall: Yes Others: No	Yes	
	Animated Illumination: Accessory Digital News Ticker	No	No	
	{Digital Display}	{Wall: Yes Others: No}	{Yes}	
	Mechanical Motion	Yes	Yes	

BILL NO. 170504 continued

		I-1			
		Permitted Sign	Permitted Sign Types		
		Wall, Projecting, and Marquee	Freestanding		
	Maximum Number	N/A	1 per lot frontage		
Standards	Maximum Area	100 sq. ft. per lot frontage	100 sq. ft. / face, up to 4 faces		
	Maximum Height	The lower of the roof line or second floor window sill	20 ft.		
	Static Illumination	Yes	Yes		
	{Animated Illumination}	{Wall: Yes Others: No}	{Yes}		
	Animated Illumination Digital Sign	n: Wall: Yes Others: No	Yes		
Permitted S Characteristics	Sign Animated Illumination Electronic Message Sign	n: Wall: Yes Others: No	Yes		
	Animated Illumination Accessory Digital Ne Ticker		No		
	{Digital Display}	{Wall: Yes Others: No}	{Yes}		
	Mechanical Motion	Yes	Yes		

BILL NO. 170504 continued

Certified Copy

I-2/I-3/I-P					
		Permitted Sign Types			
		Wall, Projecting, and Marquee	Freestanding		
	Maximum Number	Others: N/A	1 per lot frontage		
Standards	Maximum Area	1 street front: 15 sq. ft./lin. ft. of building frontage 2+ street fronts: 15 sq. ft./lin. ft. on short side, 5 sq. ft./lin. ft. on long side	100 sq. ft. / face, up to 4 faces		
	Maximum Height	The lower of the roof line or second floor window sill	20 ft.		
	Additional Requirements	N/A	N/A		
	Static Illumination	Yes	Yes		
	{Animated Illumination }	{Yes}	{Yes}		
	Animated Illumination: Digital Sign	Yes	Yes		
	Animated Illumination: Electronic Message Sign	Yes	Yes		
Characteristics	Animated Illumination: Accessory Digital News Ticker	No	No		
	{Digital Display}	{Yes}	{Yes}		
	Mechanical Motion	Yes	Yes		

* * *

(3) Building Identification Signs in CMX-4, CMX-5, IRMX, ICMX, and I-1 Districts

* * *

(d) Building identification signs with animated illumination [or digital displays] shall require a special exception approval.

SECTION 2. This Ordinance shall take effect immediately.

BILL NO. 170504 continued

Certified Copy

CERTIFICATION: This is a true and correct copy of the original Bill, Passed by the City Council on June 22, 2017. The Bill was Signed by the Mayor on July 11, 2017.

Michael A. Decker

Michael a Decker

Chief Clerk of the City Council